



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/594,335	04/17/2007	Anthony J. Kosinski	P-6250	5574
26253 7590 07/20/2010 David W. Highet, VP & Chief IP Counsel Becton, Dickinson and Company 1 Becton Drive MC 110 Franklin Lakes, NJ 07417-1880				
EXAMINER HOLLOWAY, IAN KNOBEL				
ART UNIT 3763		PAPER NUMBER		
MAIL DATE 07/20/2010		DELIVERY MODE PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/594,335

Applicant(s)

KOSINSKI, ANTHONY J.

Examiner

IAN K. HOLLOWAY

Art Unit

3763

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 28 April 2010.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-32 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-9, 12-26 and 29-32 is/are rejected.
- 7) ☒ Claim(s) 10, 11, 27 and 28 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on _____ is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SB-08)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

Response to Amendment

Receipt is acknowledged of applicant's amendment filed (4/28/10). Claims 1-32 are pending and an action on the merits is as follows.

Applicant's arguments with respect to claims 1-32 have been considered but are moot in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

3. Claims 1-8, 16-21 are rejected under 35 U.S.C. 103(a) as being anticipated by Pagay et al. (US Patent 5411488), herein after referred to as P, in view of Horita et al. (US patent 6796217), herein after referred to as Ho.

Regarding **Claim 1**, **P** discloses: a barrel (**20**, the barrel) including a cylindrical side wall (**21**) having an inside surface defining a chamber for retaining fluid, an open proximal end (**24**, the open end located near the finger grips) and a distal end (**22**, tapered tip) including a distal wall with a tip extending distally therefrom having a passageway (**Fig. 2**, the barrel) therethrough in fluid communication with said chamber; a plunger (**50**, plunger) including an elongate body portion having a proximal end and a distal end, a stopper (**30**) slidably positioned in fluid-tight engagement with said inside surface of said barrel for driving fluid out of said chamber by movement of said stopper relative to said barrel, said elongate body portion extending outwardly from said open proximal end of said barrel;

P fails to teach the means for moving additional fluid

Ho teaches means for moving (**Fig. 5A-D**, plunger rod tip) additional fluid distally in said passageway at the completion of the flush procedure after distal motion of said plunger with respect to said barrel has stopped.

It would have been obvious to one of ordinary skill in the art at the time of the invention was made to use the design as taught by **Ho**, since **Ho** states at column 1, lines 45-64 that such modification would reduce dripping. Thus, it would have been obvious to one of ordinary skill in the art to apply the construction as taught in **Ho**, to improve the device of **P** for the predictable result of reducing mess formation when using the device.

Regarding **Claim 2**, **P** discloses: said stopper including a distal end having a distal wall (**32**, convex side) and a cavity (**34**, interior) therein defining an inside surface

and a proximal end, said distal wall being flexible enough to collapse at least partially into said cavity under the liquid pressure of a flush procedure and to move back toward its original shape at the completion of the flush procedure to force additional fluid into said passageway..

Regarding **Claim 3, P** discloses: a distal tip on said distal end of said plunger is connected to said stopper. (**Fig. 4**).

Regarding **Claim 4, P** discloses: a sealing surface around its periphery in fluid-tight engagement with said inside surface of said barrel. (**Fig. 2**).

Regarding **Claim 16, P** discloses: means for allowing air trapped in the stopper cavity to escape as said distal wall collapses. (**Fig. 3**).

Regarding **Claim 17, P** discloses: an aperture (**Fig. 3**, the hole in the back) in said plunger communicating with said cavity of said stopper..

Regarding **Claims 5-8, P** discloses the invention claimed as stated above except for Liquid pressure, volume, and delivery time.

It would have been obvious to one having ordinary skill in the art at the time of the invention was made to use an optimum liquid pressure, volume, and delivery time, since it has been held that discovering an optimum value of a result effective variable involves only routine skill in the art. In re Boesch, 617 F.2d 272, 205 USPQ 215 (CCPA 1980).

Regarding **Claim 18-19, P** discloses the invention claimed as stated above except for the flush solution

It would have been obvious to one having ordinary skill in the art at the time the invention was made to use a flush solution, Since it has been held to be within the general skill of a worker in the art to select a known material on the basis of its suitability for the intended use as a matter of obvious design choice. In re Leshin, 125 USPQ 416.

Regarding **Claim 20, P** discloses: a tip cap releasably connected to said tip of said syringe barrel for sealing said passageway. (**22**, the tip is capped after the device is filled).

Regarding **Claim 21, P** discloses: thermoplastic elastomers, natural rubber, synthetic rubber, thermoplastic materials and combinations thereof. (**Column 1, line 44**, elastomeric plunger).

4. Claims 9 is rejected under 35 U.S.C. 103(a) as being unpatentable over P in view of Grimard (US Patent 5795337), herein after referred to as G.

Regarding **Claim 9, P** discloses the invention claimed as stated above except for the conical shape

However, **G** teaches a conically shaped distal surface and said inside surface of said barrel at said distal wall is conically shaped. (**27**, conical)

It would have been obvious to one of ordinary skill in the art at the time of the invention was made to use the design as taught by **G**, since **G** states at column 1, lines 26-40 that such modification would reduce medicine waste. Thus, it would have been obvious to one of ordinary skill in the art to apply the construction as taught in **G**, to improve the device of **P** for the predictable result of reducing long term costs of using the device.

Regarding **Claim 22**, **G** discloses: a needle assembly including a cannula having a proximal end, a distal end and a lumen therethrough, and a hub having an open proximal end containing a cavity and a distal end attached to said proximal end of said cannula so that said lumen is in fluid communication with said cavity, said needle assembly being removably attached to said tip of said barrel through engagement of said tip to said cavity so that said lumen is in fluid communication with said chamber.

(49)

5. Claims 13-15 is rejected under 35 U.S.C. 103(a) as being unpatentable over P in view of Eykmann et al. (US Patent 5620423), herein after referred to as E.

Regarding **Claim 13**, **E** discloses: at least one rib on said inside surface of said stopper at said distal wall configured to deflect when said stopper is in a collapsed position and urge said distal wall from said collapsed position toward its original shape.

(15).

It would have been obvious to one of ordinary skill in the art at the time of the invention was made to use the construction as taught by **E**, since **E** states at column 2, lines 27-34 that such modification would provide a controlled discharge. Thus, it would have been obvious to one of ordinary skill in the art to apply the construction as taught in , to improve the device of **P** for the predictable result of making it more effective.

Regarding **Claim 14**, **E** discloses: an area of reduced thickness (**13**, the bend) to lower the pressure required for said distal wall to collapse.

Regarding **Claim 15**, **E** discloses: circular groove (**13**, the groove is a ring on the interior) in said inside surface at said distal wall of said stopper.

Regarding claims 23-26, and 30-31, see rejections for claims 1-9 and 12-22

Allowable Subject Matter

6. Claims 10-12 and 27-29 and 32 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Response to Arguments

Applicant states, The device of P and H operates opposite of applicants's invention. It has been held that the mere fact that the references relied on by the Patent and Trademark Office fail to evince an appreciation of the problem identified and solved by applicant is not, standing alone, conclusive evidence of the nonobviousness of the claimed subject matter. The references may suggest doing what an applicant has done even though workers in the art were ignorant of the existence of the problem. *In re Gershon*, 152, USPQ 602 (CCPA 1967). The structure of the prior art is capable of performing the actions as claimed by applicant, and although the device is used for a different purpose, as shown from the rejection above it has the structure needed to perform as applicant's device and therefore anticipates it.

In reference to applicant's argument about the proximal projection on the interior surface of the plunger, the rejection has been withdrawn.

Conclusion

1. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to IAN K. HOLLOWAY whose telephone number is (571)270-3862. The examiner can normally be reached on 8-5, Monday-Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nicholas D. Lucchesi can be reached on 571-272-4977. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Ian K Holloway/
Examiner, Art Unit 3763

/Nicholas D Lucchesi/
Supervisory Patent Examiner, Art Unit 3763